

F510A



evolution
CONCEPT

english

italiano

français

deutsch

español








nederlands








c r a n e s w i t h o u t c o m p r o m i s e

FASSI

CRANES WITHOUT COMPROMISE




F510A.22

F510A.23

F510A.24

F510A.25

F510A.26

F510A.27

F510A.28


	tm	lbs.ft	m	ft	°		kNm	lbs.ft	Mpa	psi	l/min	gal/min	l	gal	kg	lbs
F510A.22	51,5	372499	7,45	24'5"	360	CONTINUOS	45,0	33199	31,5	4570	70-80	18-21	250	66	5000	11023
F510A.23	49,5	358033	9,40	30'10"	360	CONTINUOS	45,0	33199	31,5	4570	70-80	18-21	250	66	5335	11761
F510A.24	48,0	347184	11,55	7'10"	360	CONTINUOS	45,0	33199	31,5	4570	70-80	18-21	250	66	5665	12489
F510A.25	47,0	339951	13,80	45'3"	360	CONTINUOS	45,0	33199	31,5	4570	70-80	18-21	250	66	5975	13172
F510A.26	46,5	336334	16,10	52'9"	360	CONTINUOS	45,0	33199	31,5	4570	70-80	18-21	250	66	6265	13811
F510A.27	46,0	332718	18,25	59'10"	360	CONTINUOS	45,0	33199	31,5	4570	70-80	18-21	250	66	6475	14274
F510A.28	45,5	329101	20,30	66'7"	360	CONTINUOS	45,0	33199	31,5	4570	70-80	18-21	250	66	6655	14671



F510A.25 L516

F510A.26 L426

F510A.27 L426

F510A.27 L214

F510A.28 L214


								
	tm lbs.ft	m ft	°	kNm lbs.ft	Mpa psi	l/min gal/min	oil gal	kg lbs
F510A.25 L516	47,5 343567	25,85 84'9"	360 CONTINUOS	45,0 33199	31,5 4570	70-80 18-21	250 66	7480 16490
F510A.26 L426	46,5 336334	28,10 92'2"	360 CONTINUOS	45,0 33199	31,5 4570	70-80 18-21	250 66	7585 16721
F510A.27 L426	46,0 332718	30,15 98'11"	360 CONTINUOS	45,0 33199	31,5 4570	70-80 18-21	250 66	7810 17217
F510A.27 L214	46,0 332718	28,20 92'6"	360 CONTINUOS	45,0 33199	31,5 4570	70-80 18-21	250 66	7260 16005
F510A.28 L214	45,5 329101	30,20 99'0"	360 CONTINUOS	45,0 33199	31,5 4570	70-80 18-21	250 66	7455 16435

F510A



L SERIE



L214 650 kg /1432 lbs
PL 21 kg / 46 lbs

L426 1200 kg /2645 lbs
RL 36 kg / 79 lbs
SL 25 kg / 55 lbs
TL 15 kg / 33 lbs

L516 1400 kg /3086 lbs
RL 36 kg / 79 lbs
SL 25 kg / 55 lbs
TL 15 kg / 33 lbs

Dati e dimensioni sono forniti a titolo indicativo e non impegnativo - Toutes les données et descriptions sont fournies à titre indicatif, sans engagement - Unverbindliche Angaben, Konstruktionsänderungen vorbehalten
Data and descriptions are approximate and not binding - Datos y descripciones todos a título indicativo y no imperativo - Specificaties zijn niet bindend, wijzigingen derhalve voorbehouden



FASSI GRU S.p.A. - Via Roma, 110 - 24021 Albino (Bergamo) ITALY
Tel- +39 035 776400 - Fax +39 035 755020
<http://www.fassigroup.com> E-mail: fass@fassigroup.com

